

LTAH AD 2.1 AERODROME LOCATION INDICATOR AND NAME**LTAH - AFYON****LTAH AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	ARP coordinates and site at AD	384335N - 0303605E
2	Direction and distance from (city)	3 NM SE of AFYON
3	Elevation/Reference temperature	3310 FT / -
4	Geoid Undulation at AD ELEV PSN	-
5	MAG VAR/Annual change	5.64° E (2021) / 0.09° increasing.
6	AD Administration, address, telephone, telefax, telex, AFS	Afyonkarahisar Hava Meydan Komutanlığı / Afyonkarahisar Switchboard: +90 272 2165043 Fax : +90 272 2165829
7	Types of traffic permitted (IFR/VFR)	IFR/VFR
8	Remarks	Sivil Havacılık İşletmelerince uçuş planlanması durumunda Hava Kuvvetleri Komutanlığı'ndan ön müsaade alınması gerekmektedir./ <i>Aircraft operators who will fill flight plans are required first to obtain the authorization of The Turkish Air Force Headquarters.</i>

LTAH AD 2.3 OPERATIONAL HOURS

1	AD Administration	See NOTAMs
2	Customs and immigration	-
3	Health and sanitation	-
4	AIS Briefing Office	-
5	ATS Reporting Office (ARO)	-
6	MET Briefing Office	As AD Working Hours
7	ATS	As AD Working Hours
8	Fueling	As AD Working Hours
9	Handling	-
10	Security	H24
11	De-icing	-
12	Remarks	-

LTAH AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	-
2	Fuel/oil types	JP-8 (JET A-1)
3	Fuelling facilities/capacity	-
4	De-icing facilities	-
5	Hangar space for visiting aircraft	-
6	Repair facilities for visiting aircraft	-
7	Remarks	-

LTAH AD 2.5 PASSENGER FACILITIES

1	Hotels	In Afyonkarahisar
2	Restaurants	In Afyonkarahisar
3	Transportation	Public transportation, Taxi
4	Medical facilities	1 Ambulance, 1 patient transportation vehicle available during working hours; hospitals in Afyonkarahisar
5	Bank and Post Office	In Afyonkarahisar
6	Tourist Office	In Afyonkarahisar
7	Remarks	NIL

LTAH AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	Category 7
2	Rescue equipment	4 Fire fighting vehicles,1 rescue vehicle
3	Capability for removal of disabled aircraft	-
4	Remarks	NIL

LTAH AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	Types of clearing equipment	2 Snow Removals, 2 loaders, 1 grader, 1 vacuum vehicle
2	Clearance priorities	RWY, TWY, Parking Area
3	Remarks	NIL

LTAH AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA - NIL

LTAH AD 2.9 SURFACE MOVEMENT GUIDANCE, CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	-
2	RWY and TWY markings and LGT	RWY: Designation, Edge, THR, centerline, TDZ markings available For LGT see item 2.14 TWY: Edge, centerline markings available. For LGT see item 2.15
3	Stop bars	-
4	Remarks	NIL

LTAH AD 2.10 AERODROME OBSTACLES - NIL

LTAH AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	AFYON
2	Hours of service MET Office outside hours	BTN 0500-1500 UTC and during the operations
3	Office responsible for TAF preparation Periods of validity	DENİZLİ - ÇARDAK 9 HR
4	Type of landing forecast Interval of issuance	-
5	Briefing/consultation provided	-
6	Flight documentation Language(s) used	Charts abbreviated plain language text. EN/TU
7	Charts and other information available for briefing or consultation	Surface and upper air actual and prog. Charts. SIGWX, UL W/T, Model TA-M
8	Supplementary equipment available for providing information	Telefax, VSAT, ADSL PC connection
9	ATS units provided with information	Afyon Control Tower
10	Additional information (limitation of service, etc.)	Aerodrome Warnings

LTAH AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE BRG	Dimensions of RWY (M)	Strength (PCN) and surface of RWY and SWY	THR coordinates	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
13L	133.60°	3659X45	Concrete LCN 80	384414.10N- 0303516.18E	THR 3310 FT / 1008.9 M -
31R	313.62°	3659X45	Concrete LCN 80	384252.25N- 0303705.86E	THR 3265 FT / 995.2 M TDZ 3276 FT
13R	133.60°	3000X45	Concrete LCN 80	384410.59N- 0303511.88E	THR 3310 FT / 1008.9 M -
31L	313.62°	3000X45	Concrete LCN 80	384303.49N- 0303641.80E	THR 3268 FT / 996.2 M -
Slope of RWY-SWY	SWY dimensions (M)	CWY dimensions (M)	Strip dimensions (M)	OFZ	Remarks
7	8	9	10	11	12
-	140X45	-	-	-	NIL
-	270X45	-	-	-	
-	270X45	-	-	-	
-	270X45	-	-	-	

LTAH AD 2.13 DECLARED DISTANCES

RWY Designator	TORA (M)	TODA (M)	ASDA (M)	LDA (M)	Remarks
1	2	3	4	5	6
13L	3659	3659	3799	3659	NIL
31R	3659	3659	3929	3659	
13R	3000	3000	3270	3000	
31L	3000	3000	3270	3000	

LTAH AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	APCH LGT type LEN INTST	THR LGT color WBAR	VASIS (MEHT) PAPI	TDZ, LGT LEN	RWY Centre Line LGT Length, spacing, color, INTST	RWY edge LGT LEN, spacing color INTST	RWY End LGT color WBAR	SWY LGT LEN (M) color	Remarks
1	2	3	4	5	6	7	8	9	10
13L	-	Green	VASIS 3 DEG	-	-	3659 M, 60 M White LIH	Red	-	NIL
31R	Simple APP 915M LIH (NATO Standard)	Green	VASIS 3.3 DEG	-	-	3659 M, 60 M White LIH	Red	-	
13R	-	Green	VASIS 3 DEG	-	-	3000 M, 60 M White LIH	Red	-	
31L	-	Green	VASIS 3.3 DEG	-	-	3000 M, 60 M White LIH	Red	-	

LTAH AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	ABN/IBN location, characteristics and hours of operation	-
2	LDI location and LGT Anemometer location and LGT	-
3	TWY edge and centre line lighting	Edge, centerline
4	Secondary power supply/switch-over time	-
5	Remarks	-

LTAH AD 2.16 HELICOPTER LANDING AREA - NIL

LTAH AD 2.17 ATS AIRSPACE

1	Designation and lateral limits	CTR: Centered on 384316N - 0303646E radius 10 NM
2	Vertical limits	10000 FT AMSL/SFC
3	Airspace classification	-
4	ATS unit call sign Language(s)	Afyon Tower TU-EN
5	Transition altitude	10000 FT
6	Remarks	NIL

LTAH AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	Call sign	Channel	Hours of operation	Remarks
1	2	3	4	5
TWR	Afyon Tower	122.1 MHZ 257.8 MHZ *121.5 MHZ *243.0 MHZ	See NOTAMs	*Emergency
APP	Afyon Approach	122.1 MHZ 362.3 MHZ	See NOTAMs	

LTAH AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, CAT of ILS/MLS (For VOR/ILS/MLS, give VAR)	ID	Frequency	Hours of operation	Site of transmitting antenna Coordinates	Elevation of DME transmitting antenna	Remarks
1	2	3	4	5	6	7
NDB	KFK	324 KHZ	H24	384814.9N 0303248.6E	-	Coverage 50 NM
VOR/DME	KFK	112.2 MHZ CH 59X	H24	384814.9N 0303248.6E	1018 M	-
TACAN	KFK	CH 99X	H24	384316.1N 0303646.1E	997 M	-
LLZ 31R ILS CAT I	IKFK	109.35 MHZ	H24	384424.4N 0303502.4E	-	-
GP		331.85 MHZ	H24	384301.7N 0303700.4E	-	3.3° RDH 60 FT
DME	IKFK	CH 30Y	H24	384301.7N 0303700.4E	997 M	-

LTAH AD 2.20 LOCAL TRAFFIC REGULATIONS - NIL**LTAH AD 2.21 NOISE ABATEMENT PROCEDURES - NIL****LTAH AD 2.22 FLIGHT PROCEDURES - NIL****LTAH AD 2.23 ADDITIONAL INFORMATION - NIL**

LTAH AD 2.24 CHARTS RELATED TO AFYON AERODROME

Aerodrome Chart	AD 2 LTAH ADC
Standard Instrument Departure Chart (SID) VOR/DME RWY 13L	AD 2 LTAH SID-1
Standard Instrument Departure Chart (SID) VOR/DME RWY 13L	AD 2 LTAH SID-2
Standard Instrument Departure Chart (SID) VOR/DME RWY 31R	AD 2 LTAH SID-3
Standard Instrument Departure Chart (SID) VOR/DME RWY 31R	AD 2 LTAH SID-4
Standard Instrument Arrival Chart (STAR) RNAV (GNSS)	AD 2 LTAH STAR-1
Standard Instrument Arrival Chart (STAR) RNAV (GNSS) Procedure Description	AD 2 LTAH STAR-1A
Instrument APP Chart VOR	AD 2 LTAH IAC-1
Instrument APP Chart VOR/DME RWY 13L	AD 2 LTAH IAC-2
Instrument APP Chart NDB	AD 2 LTAH IAC-3
Instrument APP Chart RNP RWY 31R	AD 2 LTAH IAC-4
Instrument APP Chart RNP RWY 31R Procedure Description	AD 2 LTAH IAC-4A
Instrument APP Chart ILS or LOC Y RWY 31R	AD 2 LTAH IAC-5
Instrument APP Chart ILS or LOC W RWY 31R	AD 2 LTAH IAC-6
Instrument APP Chart ILS or LOC Z RWY 31R	AD 2 LTAH IAC-7
Instrument APP Chart RNP B	AD 2 LTAH IAC-8
Instrument APP Chart RNP B Procedure Description	AD 2 LTAH IAC-8A